





Scan to download FREESENS SMART View

www.freesens.ir

#### References

- 1) Blackwell M, Wheeler BJ. Clinical review: the misreporting of logbook, download, and verbal self-measured blood glucose in adults and children with type I diabetes. Acta Diabetologica. 2017;54(1):1-8.
- 2) Given JE, O'Kane MJ, Bunting BP, Coates VE. Comparing patient-generated blood glucose diary records with meter memory in diabetes: a systematic review. Diabet Med. 2013;30(8):901-13
- 3) Buzzetti R, Bonadonna RC, Giaccari A, Perseghin G, Cucinotta D, Fanelli C, et al. Underestimation of hypoglycaemia using patients' diaries compared with downloaded glucometer data: an ITAS post hoc analysis. Diabetes Obes Metab. 2022;24(2):327-31.
- 4) Beck RW, Connor CG, Mullen DM, Wesley DM, Bergenstal RM. The Fallacy of Average: How Using HbA(1c) Alone to Assess Glycemic Control Can Be Misleading. Diabetes Care. 2017;40(8):994-9.
- Sivasubramaniyam, S., S. A. Amiel, and P. Choudhary. "Proportion of daily capillary blood glucose readings required in the target range for target glycaemic control: shift of focus from target range to proportion in range." Diabetic Medicine 34.10 (2017): 1456-1460.
   Cutruzzolà A, Irace C, Parise M, Fiorentino R, Pio Tripodi PF, Ungaro S, et al. Time spent in target range assessed by self-monitoring blood glucose
- associates with glycated hemoglobin in insulin treated patients with diabetes. Nutr Metab Cardiovasc Dis. 2020;30(10):1800-5.

  7) Eissa, Mohammad R., et al. "Analysis of real-world capillary blood glucose data to help reduce HbA1c and hypoglycaemia in type 1 diabetes: Evidence in
- favour of using the percentage of readings in target and coefficient of variation." Diabetic Medicine (2022): e14972.

  8) Beck RW, Bergenstal RM, Riddlesworth TD, Kollman C, Li Z, Brown AS, et al. Validation of Time in Range as an Outcome Measure for Diabetes Clinical
- 9) Lyengar V, Wolf A, Brown A, Close K. Challenges in Diabetes Care: Can Digital Health Help Address Them? Clin Diabetes. 2016 Jul;34(3):133-41.
- 10) Greenwood, Deborah A., and Mike Grady. "Healthcare Professional Perceptions of Blood Glucose Meter Features That Support Achievement of Self-Management Goals Recommended by Clinical Practice Guidelines." Journal of Diabetes Science and Technology 15.5 (2021): 1142-1152.

# FREE SENS®

Insightfully Scanned Glucose Monitoring (iSGM) Novel Modality in Diabetes Monitoring

کد تخفیف ۴۰ درصدی: farir-۷۵۷۳

# Time to reshape glucose monitoring

# Traditional SMBG is Obsolete

### Data reporting is unreliable and inaccurate

70% to 90% of BGM data points reported by patients are inaccurate and unreliable. (1,2)

### Hypoglycemia episodes are missed

50% of hypoglycemia episodes are not reported in manual logging. (3)

### Numerical glucose results provide defective information

Making sense of tons of numbers and dates is a mathematicians job, and its not easy to find necessary information by simply looking at logbooks.

# The Fallacy of HbA1c





A Proven tool to assess overall glucose management




A Poor tool to assess glucose variability and complications risk

Relying on HbA1c alone to make therapeutic decisions, has a serious pitfall: missing out glucose variability. (4)








Same HbA1c, different variabilities, different complications risks (4)

# Insightfully Scanned Glucose Monitoring (iSGM) Novel Modality in Diabetes Monitoring

Seamless transfer of results in seconds with a simple scan Accurate and reliable data reporting Advanced analysis and insightful reports

Safe therapeutic decision making

# Insight beyond the numerical glucose results



# FREE SENS

SMART View

### **SMBG Data Quality:**

Insights on patients glucose monitoring behavior

## **Point in Range:**

Insights on point in range as the glycemic variability index (5-10)

### Modal View:

Identify trends that may otherwise go unnoticed or be hard to find

### **Risk Analysis:**

Insights on patients hypoglycemia episodes

# One-step approach to insightful glucose monitoring

FREESENS SMART View Report; path to insightful, targeted and accurate therapeutic adjustments